


Knee Arthroscopy Strengthening Exercises

Hamstring Contraction, 10 Repetitions - No movement should occur in this exercise. Lie or sit with your knees bent to about 10 degrees. Pull your heel into the floor, tightening the muscles on the back of your thigh. Hold 5 seconds, then relax. Repeat 10 times.



Quadriceps Contraction, 10 Repetitions - Lie on stomach with a towel roll under your weak knee. Push ankle down into the towel roll. Your leg should straighten as much as possible. Hold for 5 seconds. Relax. Repeat 10 times.




Straight Leg Raises, 10 Repetitions - Lie on your back, with uninvolved knee bent, straighten your involved knee. Slowly lift about 6 inches and hold for 5 seconds. Continue lifting in 6-inch increments, hold each time. Reverse the procedure, and return to the starting position. Repeat 10 times. Advanced: Before starting, add weights to your ankle, starting with 1 pound of weight and building up to a maximum of 5 pounds of weight over 4 weeks.



Buttock Tucks, 10 Repetitions - While lying down on your back, tighten your buttock muscles. Hold tightly for 5 seconds. Repeat 10 times.




Straight Leg Raises, Standing, 10 Repetitions - Support yourself, if necessary, and slowly lift your leg forward keeping your knee straight. Return to the starting position. Repeat 10 times
Advanced: Before starting, add weights to your ankle, starting with 1 pound of weight and building up to a maximum of 5 pounds of weight over 4 weeks.




Intermediate Exercise Program

Terminal Knee Extension, Supine, 10 Repetitions - Lie on your back with a towel roll under your knee. Straighten your knee (still supported by the roll) and hold 5 seconds. Slowly return to the starting position. Repeat 10 times. *Advanced:* Before starting, add weights to your ankle, starting with 1 pound of weight and building up to a maximum of 5 pounds of weight over 4 weeks.



Straight Leg Raises, 5 Sets, 10 Repetitions - Lie on your back, with your uninvolvement knee bent. Straighten your other knee with a quadriceps muscle contraction. Now, slowly raise your leg until your foot is about 12 inches from the floor. Slowly lower it to the floor and relax. Perform 5 sets of 10 repetitions. *Advanced:* Before starting, add weights to your ankle, starting with 1 pound of weight and building up to a maximum of 5 pounds of weight over 4



weeks.

Partial Squat, with Chair, 10 Repetitions - Hold onto a sturdy chair or counter with your feet 6-12 inches from the chair or counter. Do not bend all the way down. DO NOT go any lower than 90 degrees. Keep back straight. Hold for 5-10 seconds. Slowly come back up. Relax. Repeat 10 times.




Quadriceps Stretch - Standing, 10 Repetitions - Standing with the involved knee bent, gently pull heel toward buttocks, feeling a stretch in the front of the leg. Hold for 5 seconds. Repeat 10 times.




Advanced Exercise Program


Knee Bend, Partial, Single Leg - Stand supporting yourself with the back of a chair. Bend your uninvolved leg with your toe touching for balance as necessary. Slowly lower yourself, keeping your foot flat. Don't overdo this exercise. Straighten up to the starting position. Relax and repeat 10 times.




Step-ups, Forward, 10 Repetitions - Step forward up onto a 6-inch high stool, leading with your involved leg. Step down, returning to the starting position. Increase the height of the platform as strength increases. Repeat 10 times.



Step-ups, Lateral, 10 Repetitions - Step up onto a 6-inch high stool, leading with your involved leg. Step down, returning to the starting position. Increase the height of the platform as strength increases. Repeat 10 times.




Terminal Knee Extension, Sitting, 10 Repetitions - While sitting in a chair, support your involved heel on a stool. Now straighten your knee, hold 5 seconds and slowly return to the starting position. Repeat 10 times.



Hamstring Stretch, Supine, 10 Repetitions - Lie on your back. Bend your hip, grasping your thigh just above the knee. Slowly straighten your knee until you feel the tightness behind your knee. Hold for 5 seconds. Relax and repeat 10 times. Repeat with the other leg. If you do not feel this stretch, bend your hip a little more, and repeat. No bouncing! Maintain a steady, prolonged stretch for the maximum benefit.



Hamstring Stretch, Supine at Wall, 10 Repetitions - Lie next to a doorway, with one leg extended. Place your heel against the wall, and, with your knee bent, move your hips toward the wall. Now begin to straighten your knee. Then you feel the tightness behind your knee, hold for 5 seconds. Relax and repeat 10 times. The closer you are to the wall, the more intense the stretch. Repeat with the other leg.



Exercise Bike - If you have access to an exercise bike, set the seat high so your foot can barely reach the pedal and complete a full revolution. Set the resistance to "light" and progress to "heavy." Start pedaling for 10 minutes a day. Increase the duration by one minute a day until you are pedaling 20 minutes a day.



Walking - An excellent physical exercise activity in the middle stages of your recovery from surgery (after 2 weeks).